



# **SHOWA S-TEX 581**

Durability meets comfort with SHOWA's S-TEX 581 cutresistant gloves. Flexibility and form-fitting materials enable maximum precision when working on highly tactile tasks, and our unparalleled ergonomic gloves are designed with periods of long wear in mind. The S-TEX 581 are breathable to reduce perspiration and increase grip inside the glove, and the advanced nitrile coating increases grip on the glove's surface.



#### **BENEFITS**

- Cut-resistant
- Oil-resistant
- · Extra Grip
- Abrasion-resistant
- Breathable
- Easy Movement
- Seamless knit
- Reusable
- Form-fitting

## **FEATURES**

- Lightweight
- Microporous Nitrile Coating
- Liner made with Kevlar®
- Ergonomic

#### **INDUSTRIES**



Automotive



Construction



Glass



Mechanical

# **HAZARDS**



Cut

## **NORMS & CERTIFICATES**

Cat II



EN 388:2016



4X42E

# **TRADES & APPLICATIONS**

- Automotive repairs and maintenance
- Maintenance
- Light assembly of oil-coated pieces
- Mechanical and engineering
- HVAC
- Install electrical wiring
- Screw and nail setting
- Steel fixing
- Handling glass and windows

### **GET IN TOUCH**





## **PACKAGING**

- Pair per polybag: 10
- Polybags per case: 12
- Pair per case: 120

#### **LENGTH**

235 - 270mm

## **COATING**

Microporous nitrile

#### **SIZES**

6/S | 7/M | 8/L | 9/XL | 10/XXL

#### **COLOUR**

- Grey
- Black

#### **MATERIAL**

- Kevlar
- Nylon
- Polyester
- Seamless knit

## **TECHNOLOGY**

• S-TEX

#### **USER INSTRUCTIONS**

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

#### **DISCLAIMER**

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.