



# **SHOWA XC800**

The new ultra-light XC800 combines high cut-resistance level E/A5 provided by a seamless HPPE / Stainless steel / Pester liner with a durable, oil-resistant microporous nitrile palm coating usable in various industrial applications.





#### **BENEFITS**

- Cut-resistant
- Flexible
- Breathable
- Liahtweiaht
- · Increased dexterity
- Seamless knit
- Form-fitting
- Abrasion-resistant

#### **INDUSTRIES**



Automotive



Construction



Glass



Mechanical

#### **FEATURES**

- HPPE reinforced
- Eraonomic
- Microporous Nitrile Coating

# **HAZARDS**



Cut

## **NORMS & CERTIFICATES**

((

EN 388:2016



4X32E

EN ISO 21420:2020





Cut

# TRADES & APPLICATIONS

- Light assembly of oil-coated pieces
- Maintenance
- Mechanical and engineering
- · Repair glass and windows
- Handling heavy equipment
- Intricate parts handling





#### **PACKAGING**

- Pair per polybag: 12
- Polybags per case: 6
- Pair per case: 72

### **COATING**

Microporous nitrile

## **LINERS**

• Cut resistant - HPPE

## **SIZES**

6/S | 7/M | 8/L | 9/XL | 10/XXL

#### **COLOUR**

Grey

#### **MATERIAL**

HPPE

# **USER INSTRUCTIONS**

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

#### **DISCLAIMER**

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

